



Refrigeration

Effective February 15, 2015



VCBB/FDBB Quiet Cool™ Built-In 36"W. Bottom-Mount Refrigerator/Freezers





Total Capacity: 20.4 cu. ft./Refrigerator: 15.3 cu. ft./Freezer: 5.1 cu. ft.

- **2014 Energy Compliant**

- 84"H/24"D
- NEW LED theater lighting provides excellent visibility
- NEW Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - **Exclusive**
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing
- Refrigerator Compartment
 - Three adjustable tempered glass spillproof shelves (one has Nano technology)
- Adjustable Humidity Zone™ drawers with soft-close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
- NEW Two deli drawers with soft-close slides
- NEW Additional space for large pizza box storage
- Two in-the-door dairy compartments with covers
- Four patented aluminum door bins
 - Three are adjustable
- Top shelf provides quick chill-down area
- Full extension freezer drawer on precision ball-bearing glides
 - Positive self-closing feature ensures a good seal
 - Adaptive defrost
 - Two slide out wire baskets
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design
 - Allows Professional Integrated and Custom Panel models to fit flush into 24" deep installation cutout

*Plasmacluster is a registered trademark of Sharp Corporation

Model		Finish	Price	Shipping wt. lb (kg)
VCBB5363E (R/L**) Professional Door (Core)		SS		565 (254.3)
		Exclusive Color Finishes*		
FDBB5363E (R/L**) Custom Panel (Core)		Accepts custom panel (includes flush mount trim kit)		490 (221)

NOTE: Replaces the VCBB5363 and FDBB5363 models.

*Exclusive Color Finishes: Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

**R=right hinge; L=left hinge

Accessories	Description	Price	Shipping wt. lb (kg)
PBIRFTK-SS	Flush mount trim kit – VCBB		10 (4.5)
FCTK-SS	Center trim kit – FDBB		5 (2.3)
PSSPL3	Side panel left – Standard Mount		45 (20.2)
PSSPR3	Side panel right – Standard Mount		45 (20.2)
TOP-36	Top panel – 36"W. (for use with SS side panels)		22 (10.0)
SPHKDS	Side panel hardware kit		3 (1.4)
PHK-DFBB-SS	Professional stainless steel handle kit		10 (4.5)

VCSB/FDSB Quiet Cool™ Built-In 42"W. Side-by-Side Refrigerator/Freezers



Total Capacity: 25.3 cu. ft./Refrigerator: 15.7 cu. ft./Freezer: 9.6 cu. ft.

- **ENERGY STAR**
- **2014 Energy Compliant**

- 84"H/24"D
- NEW LED lighting provides excellent visibility
- NEW Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - Exclusive
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing

- Refrigerator Compartment
 - Five adjustable tempered glass spillproof shelves (two have Nano technology)
 - Adjustable Humidity Zone™ drawer with soft close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
 - Deli drawers with soft close slides
 - Two in-the-door dairy compartments with covers
 - Four adjustable patented aluminum door bins
 - Top shelf provides quick chill-down area
- Freezer Compartment
 - Adaptive defrost
 - Three wire shelves and two slide out baskets
 - Three patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use

*Plasmacluster is a registered trademark of Sharp Corporation

Model		Finish	Price	Shipping wt. lb (kg)
VCSB5423 Professional Door (Core)		SS		652 (293.4)
		Exclusive Color Finishes*		
FDSB5423 Custom Panel (Specialty)		Accepts custom panel (includes flush mount trim kit)		595 (267.8)

NOTE: Replaces the VCSB5422 and FDSB5422 models.

*Exclusive Color Finishes: Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

Accessories	Description	Price	Shipping wt. lb (kg)
PBIRFTK-SS	Flush mount trim kit		10 (4.5)
PSSPL4	Side panel left – Standard Mount		45 (20.2)
PSSPR4	Side panel right – Standard Mount		45 (20.2)
TOP423	Top panel – 42"W. (for use with SS side panels)		23 (10.4)
SPHKDS	Side panel hardware kit		3 (1.4)
PHK-DFS5-SS	Professional stainless steel handle kit		10 (4.5)

VCSB/FDSB Quiet Cool™ Built-In 48"W. Side-by-Side Refrigerator/Freezers



Total Capacity: 29.1 cu. ft./Refrigerator: 19.5 cu. ft./Freezer: 9.6 cu. ft.

- **ENERGY STAR**
- **2014 Energy Compliant**

- 84"H/24"D
- NEW LED lighting provides excellent visibility
- NEW Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readouts
 - Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - Exclusive
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing

- Refrigerator Compartment
 - Five adjustable tempered glass spillproof shelves (two have Nano technology)
 - Adjustable Humidity Zone™ drawers with soft close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
 - Deli drawers with soft close slides
 - Two in-the-door dairy compartments with covers
 - Four adjustable patented aluminum door bins
 - Top shelf provides quick chill-down area
- Freezer Compartment
 - Adaptive defrost
 - Three wire shelves and two slide out baskets
 - Three patented adjustable aluminum door bins
- Super Clog-Resistant™ Condenser is maintenance-free under normal use

*Plasmacluster is a registered trademark of Sharp Corporation

Model		Finish	Price	Shipping wt. lb (kg)
VCSB5483 Professional Door (Core)		SS		715 (321.8)
		Exclusive Color Finishes*		
FDSB5483 Custom Panel (Specialty)		Accepts custom panel (includes flush mount trim kit)		650 (292.5)

NOTE: Replaces the VCSB5482 and FDSB5482 models.

*Exclusive Color Finishes: Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

Accessories	Description	Price	Shipping wt. lb (kg)
PBIRFTK-SS	Flush mount trim kit		10 (4.5)
PSSPL4	Side panel left – Standard Mount		45 (20.2)
PSSPR4	Side panel right – Standard Mount		45 (20.2)
TOP483	Top panel – 48"W. (for use with SS side panels)		24 (10.8)
SPHKDS	Side panel hardware kit		3 (1.4)
PHK-DFSBS-SS	Professional stainless steel handle kit		10 (4.5)

VCRB/FDRB Quiet Cool™ Built-In 36"W. All Refrigerator





Total Capacity: 22.8 cu. ft.

• **2014 Energy Compliant**

- 84"H/24"D
- NEW LED theater lighting provides excellent visibility
- NEW Spillproof Plus™ Shelves with Nano technology create an invisible barrier to contain spills
 - One adjustable full-width Spillproof Plus™ Shelves with Nano technology
 - Three full-width adjustable spillproof glass shelves
- ProChill™ Temperature Management System
- Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
- Electronic controls with digital temperature readout
- Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Plasmacluster™* Ion Air Purifier - **Exclusive**
 - Eliminates airborne bacteria and mold spores
 - Removes odors
 - Enhances food preservation
 - Never needs replacing

- Adjustable Humidity Zone™ Drawers with soft close slides
 - Humidity can be set high for leafy greens or low for fruits and vegetables with skins
- Four deli drawers with soft-close slides
- NEW additional space for large pizza box storage
- Two in-the-door dairy compartments with covers
- Five patented adjustable aluminum door bins (2 half-width, 3 full-width)
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design
 - Allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

*Plasmacluster is a registered trademark of Sharp Corporation

Model		Finish	Price	Shipping wt. lb (kg)
VCRB5363 (R/L**) Professional Door (Core)		SS		590 (256.5)
		Exclusive Color Finishes*		
FDRB5363 (R/L**) Custom Panel (Specialty)		Accepts custom panel		535 (231.8)

NOTE: Replaces the VCRB5362 and FDRB5362 models.

*Exclusive Color Finishes: Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

**R=right hinge; L=left hinge

Accessories	Description	Price	Shipping wt. lb (kg)
DDGK663-SS	66"W. grille kit		23 (10.4)
DDGK723-SS	72"W. grille kit		25 (11.3)
PBIRFTK-SS	Flush mount trim kit – VCRB		10 (4.5)
FCTK-SS	Center trim kit – FDRB		5 (2.3)
PSSPL2	Side panel left – Standard Mount		45 (20.2)
PSSPR2	Side panel right – Standard Mount		45 (20.2)
TOP36	Top panel - 36"W. (for use with SS side panels)		22 (10.0)
SPHKDS	Side panel hardware kit		3 (1.4)
PHK28-SS	Professional stainless steel handle kit		7 (3.2)

VCFB/FDFB Quiet Cool™ Built-In 36"W. All Freezer





Total Capacity: 19.2 cu. ft.

• **2014 Energy Compliant**

- 84"H/24"D
- NEW LED theater lighting provides excellent visibility
- ProChill™ Temperature Management System
 - Variable Speed DC Overdrive™ Compressor is one of the quietest, most technologically advanced compressors available
 - Electronic controls with digital temperature readout
- Multi-channel airflow system and Odor Eliminator™ Evaporator remove odors and excess humidity
- Six adjustable half-width wire shelves
- One full-width metal shelf
- Two full-width slide-out wire baskets with tempered glass fronts
- Factory-installed automatic ice maker

- One full-width ice storage drawer with two separate metal ice bins
- Full-extension precision ball bearing slides on all baskets and drawers
- Five patented adjustable aluminum door bins
- Adaptive defrost
- All metal freezer interior
- Super Clog-Resistant™ Condenser is maintenance-free under normal use
- Tru-Flush™ Design
 - Allows Professional integrated and custom panel models to fit flush into 24" deep installation cutout
- For installation of two units side-by-side, a separate grille kit accessory must be purchased

Model		Finish	Price	Shipping wt. lb (kg)
VCFB5363 (R/L**) Professional Door (Core)		SS		605 (274.4)
		Exclusive Color Finishes*		
FDFB5363 (R/L**) Custom Panel (Specialty)		Accepts custom panel (includes flush mount trim kit)		570 (258.5)


NOTE: Replaces the VCFB5362 and FDFB5362 models.

*Exclusive Color Finishes: Black (BK), White (WH), Apple Red (AR), Burgundy (BU), Cobalt Blue (CB), Graphite Gray (GG)

**R=right hinge; L=left hinge


Accessories	Description	Price	Shipping wt. lb (kg)
DDGK663-SS	66"W. grille kit		23 (10.4)
DDGK723-SS	72"W. grille kit		25 (11.3)
PBIRFTK-SS	Flush mount trim kit – VCFB		10 (4.5)
FCTK-SS	Center trim kit – FDFB		5 (2.3)
PSSPL2	Side panel left – Standard Mount		45 (20.2)
PSSPR2	Side panel right – Standard Mount		45 (20.2)
TOP36	Top panel – 36"W. (for use with SS side panels)		22 (10.0)
SPHKDS	Side panel hardware kit		3 (1.4)
PHK28-SS	Professional stainless steel handle kit		7 (3.2)

VCWB Built-In 30"W. Full Height Wine Cellars



30"W. Wine Cellars

- 30"W. x 84"h. x 24"d.
- **Exclusive** TriTemp™ storage system
- Three independent temperature zones
- Settings are adjustable in each zone from 43°F (6.1°C) to 65°F (18.3°C)
- Electronic control center maintains set temperature within 1.5°F (.83°C)
- **Exclusive** glass control pad
- Accommodates up to 150 full-size bottles
- Versatile shelving system stores standard, magnum, and half-size bottles
- Two convertible wine shelves adjust to allow for bottle display
- Solid maple wood facings may be finished to coordinate with surrounding cabinetry
- Coated wine shelves reduce vibration and hold bottles in place
- Shelves are fully removable for easy cleaning
- Ultraviolet resistant tempered glass
- Black interior
- Low intensity lighting
- Lower zone with raised wood facings
- Home security system connection
- Keyed door lock

Model		Finish	Price	Shipping wt. lb (kg)
VCWB301 (R/L*) Pro Clear Glass Door (Core)		SS - Clear glass		560 (252)

*R=right hinge; L=left hinge

Accessories	Description	Price	Shipping wt. lb (kg)
PBIRFTK-SS	Flush mount trim kit – VCWB		10 (4.5)
PSSPL2	Side panel left – VCWB		45 (20.2)
PSSPR2	Side panel right – VCWB		45 (20.2)
TOP-30	30"W. top panel (for use with SS side panels)		21 (9.5)

VRCI/VRDI Undercounter/Freestanding 24"W. Refrigerators



24"W. Refrigerator

- **2014 Energy Compliant**
- 5.3 cubic feet of storage
- Two full extension adjustable wire shelves hold up to 75 lbs. each
- Each shelf accommodates 54 12-oz. cans
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-39°F
- Dual pane and argon filled low 'E' energy efficient glass doors
- Forced air cooling system with 700 BTU compressor
- LED display lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VRCI5240G (R/L*) Pro Clear Glass Door (Specialty)	SS		200 (91)

NOTE: Replaces the VRCI1240G.

*R=right hinge; L=left hinge



24"W. Refrigerated Drawers

- **2014 Energy Compliant**
- 5.3 cubic feet of storage
- 200 lb. capacity full extension drawers
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-39°F
- Forced air cooling system with 700 BTU compressor
- LED lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VRDI5240D Professional (Core)	SS		200 (91)

NOTE: Replaces the VRDI1240D.

VBCI Undercounter/Freestanding 15"W. and 24"W. Refrigerated Beverage Centers



15"W. Refrigerated Beverage Center

• **2014 Energy Compliant**

- 3.0 cubic feet of storage
- One full extension adjustable wire shelf holds up to 75 lbs.
- Accommodates 21 12-oz. cans
- Two full extension adjustable wine shelves accommodate 8 bottles of wine
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-48°F
- Dual pane and argon filled Low 'E' energy efficient glass doors
- Forced air cooling system with 700 BTU compressor
- LED display lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VBCI5150G (R/L*) Pro Clear Glass Door (Specialty)	SS - Clear glass		157 (71)

NOTE: Replaces the VBCI1150G.

*R=right hinge; L=left hinge



24"W. Refrigerated Beverage Center

• **2014 Energy Compliant**

- 5.3 cubic feet of storage
- One full extension adjustable wire shelf holds up to 75 lbs.
- Accommodates 54 12-oz. cans
- Two full extension adjustable wine shelves accommodate 16 bottles of wine
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-48°F
- Dual pane and argon filled Low 'E' energy efficient glass doors
- Forced air cooling system with 700 BTU compressor
- LED display lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VBCI5240G (R/L*) Pro Clear Glass Door (Core)	SS - Clear glass		200 (91)

NOTE: Replaces the VBCI1240G.

*R=right hinge; L=left hinge

WCI Undercounter/Freestanding 15" and 24"W. Wine Cellars



15"W. Wine Cellar

• **2014 Energy Compliant**

- 24 bottle capacity
- Five full extension wine shelves cradle 20 bottles of wine horizontally to keep corks moist
- Full extension shelves are coated to reduce vibration and hold bottles snugly in place
- Shelves can be removed to store magnum or larger bottles
- Additional storage for 4 bottles on bottom
- Electronic controls with digital temperature readout
- Temperature adjusts from 44-68°F
- Dual panel and argon filled Low 'E' glass door protects wine from harmful heat and light
- Maple wood wine shelf fronts
- Forced air cooling system with 700 BTU compressor
- LED display lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VWC15150G (R/L*) Pro Clear Glass Door (Specialty)	SS - Clear Glass		157 (71)

NOTE: Replaces the VWC1150G.

*R=right hinge; L=left hinge



24"W. Wine Cellar

• **2014 Energy Compliant**

- 45 bottle capacity
- Five full extension wine shelves cradle 40 bottles of wine horizontally to keep corks moist
- Full extension shelves are coated to reduce vibration and hold bottles snugly in place
- Shelves can be removed to store magnum or larger bottles
- Additional storage for 5 bottles on bottom
- Electronic controls with digital temperature readout
- Temperature adjusts from 44-68°F
- Dual panel and argon filled Low 'E' glass door protects wine from harmful heat and light
- Maple wood wine shelf fronts
- Forced air cooling system with 700 BTU compressor
- LED display lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VWC15240G (R/L*) Pro Clear Glass Door (Core)	SS - Clear Glass		200 (91)

NOTE: Replaces the VWC11240G.

*R=right hinge; L=left hinge

FGIM/FPIM/FGNI/FPNI Undercounter/Freestanding 15"W. Ice Machines/Accessories



Shown with optional Professional Door Panel

15"W. Clear Ice Machines

- Produces up to 65 lbs. of clear ice per day
- 26 lb. capacity ice bin
- 1" x 11/8" x 11/4" cube size
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design

Model	Finish	Price	Shipping wt. lb (kg)
FGIM515 Gravity Drain (Core)	Accepts custom panel or Professional door panel		113 (50.9)
FPIM515 Drain Pump (Core)	Accepts custom panel or Professional door panel		118 (53.1)



Shown with optional Professional Door Panel

15"W. Nugget Ice Machines

- Produces up to 80 lbs. of nugget ice per day
- 26 lb. capacity ice bin
- Soft and chewable ice
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design

Model	Finish	Price	Shipping wt. lb (kg)
FGNI515 Gravity Drain (Specialty)	Accepts custom panel or Professional door panel		124 (56.2)
FPNI515 Drain Pump (Specialty)	Accepts custom panel or Professional door panel		129 (58.5)

Accessories	Description	Price	Shipping wt. lb (kg)
PIDP15L-SS	Professional stainless steel door panel - LH		14 (6.3)
PIDP15R-SS	Professional stainless steel door panel - RH		14 (6.3)
PHK30-SS	Professional stainless steel handle kit for custom panel		6 (2.7)
DP-FGIM	Ice Machine Drain Pump		5 (2.3)
IMC16OZ	Ice Machine Cleaner		1.6 (0.8)